
APPROVED: Line Hackworth

DIRECTOR OF PUBLIC WORKS

COUNTY OF PLACER DEPARTMENT OF PUBLIC WORKS

URBAN PRIMARY

DATE: JULY, 2005 NTS PLATE **R-7** (11)



ALLOWABLE USE

- A. DESIGN DETERMINED BY THE ENGINEER.
- B. ACCESS CONTROLLED.
- C. 6 FT. SIDEWALKS REQUIRED.
- D. NO PARKING.

NOTES:

- 1. ACTUAL STRUCTURAL SECTION MAY BE GREATER THAN INDICATED BASED ON PROJECT APPROVALS.
- 2. BELOW 3000 FT. ELEVATION, A.C. MIX SHALL BE AR8000, 3/4 IN. AGGREGATE (1/2 IN. AGGREGATE IF A.C. THICKNESS IS <0.2 FT.). ABOVE 3000 FT. ELEVATION, A.C. MIX SHALL BE PBA6B, 1/2 IN. AGGREGATE.
- 3. ADDITIONAL EASEMENTS MAY BE REQUIRED AS NECESSARY TO PROVIDE FOR DRAINAGE, CUT/FILL SLOPES, UTILITIES, ETC.
- 4. ALL SIDEWALKS SHALL BE ADA COMPLIANT, INCLUDING SIDEWALK TERMINI.